

## 1 Usage

### 1.1 Download

Go to <https://github.com/jczhang/latex.git> to get the latest L<sup>A</sup>T<sub>E</sub>X template. The package is `homework.sty` and the example usage (this document) is `template.tex`.

### 1.2 Installation

This template requires the `minted` package, which uses Python's Pygments to provide syntax highlighting for code. Install python, then pygments with

```
sudo easy_install pygments
```

When compiling your L<sup>A</sup>T<sub>E</sub>X document, make sure to use the `-shell-escape` argument for `pdflatex` so that L<sup>A</sup>T<sub>E</sub>X can run Python.

*Warning.* This enables L<sup>A</sup>T<sub>E</sub>X packages to potentially run arbitrary code on your machine. Make sure you know what you're doing.

If you use Sublime Text's L<sup>A</sup>T<sub>E</sub>XTools plugin, you can change this by going to **Preferences ► Browse Packages...** and editing `LaTeX.sublime-build` under the `LaTeXTools` directory. If you're on Sublime Text 3, this directory might be compressed under `../Installed Packages/LaTeXTools.sublime-package` (this is actually a `.zip` file).

### 1.3 Usage

To use the template, drop `homework.sty` in the same folder as your `.tex` file and use the following format for your `.tex` file:

```
1 \documentclass{article}
2 \usepackage{homework}
3 \begin{document}
4 ...
5 \end{document}
```

You will need to define the following command sequences:

```
1 \newcommand{\myname}{Jeffrey Zhang}
2 \newcommand{\myandrewid}{jczhang}
3 \newcommand{\mydate}{\today}
4 \newcommand{\mycourse}{15-359 A: Probability and Computing}
5 \newcommand{\myhwname}{\LaTeX{} Template}
6 % comment this out if you don't need a note in the homework header:
7 \newcommand{\mynote}{Collaborators: none}
```

## 2 Features

## 2.1 Components

The `\homeworkheader` command can be used to display the header at the top of this page. The footer is automatically populated with the corresponding values.

## 2.2 Environments

Some convenient environments have been included. They are theorem, lemma, corollary, definition, example, conjecture, exercise, problem, question, task, remark, warning, solution, proof.

### 2.2.1 Theorem-like

**Theorem 2.1** (Pythagorean Theorem). *In a right triangle with legs  $a$ ,  $b$  and hypotenuse  $c$ ,*

$$a^2 + b^2 = c^2.$$

**Lemma 2.2** (Pumping lemma for regular languages).

$$\begin{aligned} & (\forall L \subseteq \Sigma^*) \\ & (\text{regular}(L) \Rightarrow \\ & ((\exists p \geq 1)(\forall w \in L)(|w| \geq p) \Rightarrow \\ & ((\exists x, y, z \in \Sigma^*)(w = xyz \wedge (|y| \geq 1 \wedge |xy| \leq p \wedge (\forall i \geq 0)(xy^iz \in L)))))) \end{aligned}$$

**Corollary 2.3.** *The field of complex numbers is the algebraic closure of the field of real numbers.*

### 2.2.2 Explanation

**Definition 2.4.** A Turing machine is a 7-tuple  $M = (Q, \Gamma, b, \Sigma, \delta, q_0, F)$  where

- $Q$  is a finite, non-empty set of states
- $\Gamma$  is a finite, non-empty set of the tape alphabet/symbols
- $b \in \Gamma$  is the blank symbol
- $\Sigma \subseteq \Gamma \setminus \{b\}$  is the set of input symbols
- $q_0 \in Q$  is the initial state
- $F \subseteq Q$  is the set of final or accepting states
- $\delta : Q \setminus F \times \Gamma \rightarrow Q \times \Gamma \times \{L, R\}$  is a partial function called the transition function, where  $L$  is left shift and  $R$  is right shift.

**Example 2.5.** Is  $(n + 1)! \in O(n!)$ ?

No, we have  $(n + 1)! = (n + 1) \cdot n!$ , which, for all  $n > c$ , is larger than  $cn!$ .

**Conjecture 2.6** (Goldbach's conjecture). Every even integer greater than 2 can be expressed as the sum of two primes.

### 2.2.3 Problem-like

**Exercise 2.1** (Positive correlation). Show that if  $\Pr[A | B] > \Pr[A]$ , then  $\Pr[B | A] > \Pr[B]$ .

**Problem 2.2** (Relationship). It's complicated.

**Question 2.3.** Why do you think this is?

**Task 2.4.** Write test cases for your code.

### 2.2.4 Information

*Remark.* I should have used lorem ipsum to construct this section.

*Warning.* Your hair's on fire!

*Solution.* Divide the balls into three groups of four balls each. Compare two of the groups; if they are the same weight, the odd ball is in the third group. If they are different weights, give up.

*Proof.*

$$\begin{aligned} \sum_{i=1}^{k+1} i &= \left( \sum_{i=1}^k i \right) + (k+1) \\ &= \frac{k(k+1)}{2} + k+1 && \text{[by induction hypothesis]} \\ &= \frac{k(k+1) + 2(k+1)}{2} \\ &= \frac{(k+1)(k+2)}{2} \\ &= \frac{(k+1)((k+1)+1)}{2}. \end{aligned}$$

□

## 2.3 Code

Code highlighting is syntax-dependent. To use a lexer supported by pygments, use the `\newlanguage{lang}` command, where `lang` is the name of the lexer. You can then use `\begin{langcode} .. \end{langcode}` to create a code block and `\langshort".."` to create a one-liner.

```
1 # returns the first natural number
2 def hello():
3     return 0

foldl (fn (a, b) => a + b) 0 [1, 2, 3]
```

## 2.4 Pseudocode

Pseudocode typesetting is available from the `algorithmicx` package.

```
1 if  $i \geq maxval$  then
2    $i \leftarrow 0$ 
3 else
4   if  $i + k \leq maxval$  then
5      $i \leftarrow i + k$ 
6   end if
7 end if
```

## 2.5 Math shortcuts

Some math shortcuts have been defined to speed up typesetting.

$\LaTeX$	Result
<code>\Var(X)</code>	$\text{Var}(X)$
<code>\E[X]</code>	$\mathbb{E}[X]$
<code>\naturals</code>	$\mathbb{N}$
<code>\reals^4</code>	$\mathbb{R}^4$
<code>\integers^2</code>	$\mathbb{Z}^2$
<code>\powerset(\{0, 1\})</code>	$\mathcal{P}(\{0, 1\})$
<code>\displaystyle\integral{0}{+\infty}{xe^x}{x}</code>	$\int_0^{+\infty} xe^x dx$
<code>\integral{}{x}{x}</code>	$\int x dx$
<code>\derivative{y}{x}</code>	$\frac{dy}{dx}$
<code>\derivative{}{x}[f(x)]</code>	$\frac{d}{dx}[f(x)]$

## 2.6 Other

Links using the `hyperref` package, images using the `graphicx` package, drawings using the `tikz` package.

## 3 Customization

Besides the homework header text, the colors can be customized easily. Of course, you can hack this template to implement your own desired features. Check out the source code!

## 4 Bugs/TODO

- Put a little margin above and below code blocks.
- Implement functional pseudocode commands for `algorithmicx`.
- Add background colors to pseudocode.
- Real code and pseudocode line numbers don't line up.
- Some warning messages show up because characters are missing in `inconsolata` or something.
- Currently untested on platforms other than MacTeX.